ALWAYS AHEAD OF THE CURVE

THE OMNI FLUSH CATHETER →

ANGIOGRAPHIC CATHETERS ORDERING INFORMATION →

SIZING CATHETERS ORDERING INFORMATION →

angiodynamics

GL/VA/BR/1890 Rev 03 02/2024

THE OMNI FLUSH CATHETER

OFTEN IMITATED, NEVER DUPLICATED.

OMNI FLUSH TIP DESIGN

Directed Contrast Bolus[1]
Allows for improved opacification, less reflux into adjacent branch vessels and less overall contrast load to the patient. (Fig A)

Contralateral Tip Positioning[1]
Facilitates easier contralateral access. Once the bifurcation has been crossed and wire removed, the shape of the Omni Flush is such that the tip is pointing down into the vessel lumen. (Fig B)

Multifunctional
Single catheter for flush aortography, bilateral “run-offs” of the lower extremities, and facilitates contralateral iliac selection, saving time and money. (Fig B)

Additional Measurement Reference Tool
The distance from the top of the Omni Flush curve to the bottom of the tip is approximately 15mm.

Soft, Radiopaque Tip
Highly visible tip that is soft to minimize trauma and damage to the patient's vasculature.

Self-Dilating Tip
Aids in easier insertion of the catheter over the guidewire, as the catheter dilates the tract during advancement.

AVAILABLE IN
SOFT-VU, ACCU-VU & MARINER

GL/VA/BR/1890 Rev 03 02/2024

BETTER FLUSH USE

(Figure A)

5F PIGTAIL

15ml at 15ml/sec—30%

5F OMNI FLUSH

15ml at 15ml/sec—30%



High flow stability

Better bolus concentration

CONTRALATERAL SELECTION

(Figure B)

5F PIGTAIL



Catheter tip positioned against vessel wall

5F OMNI FLUSH

Facilitates Bifurcation Crossing





Catheter tip centered in vessel lumen

From a value perspective, the Omni Flush catheter allows you to go up and over the bifurcation for iliac access, saves you a catheter exchange and also the cost of that catheter, if you can hook the bifurcation and then pull down, that's increased utility and why some people use an Omni Flush over Pigtail.

- John Streitman, MD

Cardiovascular - Thoracic Surgeon, HCA Healthcare

GL/VA/BR/1890 Rev 03 02/2024

ANGIOGRAPHIC CATHETERS

REDEFINING PERFORMANCE THROUGH INNOVATION.

	SOFT-VU ANGIOGRAPHIC CATHETERS	MARINER HYDROPHILIC CATHETERS
FRENCH SIZE	4, 5 AND 6F	4 AND 5F
STANDARD LENGTH	25CM -110CM	40CM-110CM
LONG LENGTH	120CM-140CM	130CM-150CM
SHAFT TYPE	NON-BRAIDED OR BRAIDED	NON-BRAIDED OR BRAIDED
WIRE ACCEPTANCE	0.035" AND 0.038"	0.035" AND 0.038"
TIP SHAPES	SELECTIVE: 58	SELECTIVE: 41
	FLUSH: 5	FLUSH: 3
TIP TAPER	TAPERED AND NON-TAPERED	TAPERED AND NON-TAPERED
SIDE HOLES	AVAILABLE	AVAILABLE
DURATION HYDROPHILIC COATING	-	✓

LUBRICITY LOSS COMPARISON[2]

Mariner Catheter vs. Leading Competitor





THE OMNI FLUSH CATHETER
ANGIOGRAPHIC CATHETERS ORDERING INFORMATION
SIZING CATHETERS ORDERING INFORMATION

Super Radiopaque Tungsten Tip
for easy visualization under fluoroscopy.

Soft, Atraumatic Tip
minimizes trauma and damage to the patient's vasculature.

Self-Dilating Tip
dilates the tract, allowing for an easy, smooth insertion.

Tapered Tip
allows for excellent track-ability over the guidewire.

Proprietary Tip-to-Shaft Weld Process
of radiopaque tip to co-extruded nylon shaft ensures catheter tip durability.

Co-Extruded Nylon Shaft
for dependable pushability and torquability.

Duration Hydrophilic Coating Technology on Mariner Catheters
on distal 20cm does not require pre-wetting and allows for smooth navigation, as well as optimum handling and control.

Funneled Hub
facilitates guidewire insertion into the catheter.

Robust Strain Relief
minimizes catheter buckling and kinking at the hub.

GL/VA/BR/1890 Rev 03 02/2024

SIZING CATHETERS

LEADING THE WAY IN PRECISION AND PERFORMANCE.

	ACCU-VU SIZING CATHETERS
FRENCH SIZE	4F AND 5F
GUIDEWIRE ACCEPTANCE	0.035" AND 0.038"
LENGTH	70CM, 90CM AND 100CM
MARKER BAND	PLATINUM
MARKER BAND ACCURACY	+/- 1MM ACROSS THE ENTIRE SIZING PATTERN
TIP SHAPES + SIDE HOLES	OMNI FLUSH: 6
	STRAIGHT: 6
	PIGTAIL: 10
SOFT-VU CATHETER FEATURES + BENEFITS	✓
MARKER BAND PLACEMENT	2CM: 2 BANDS SPACED 2CM APART
	20CM: 21 BANDS SPACED 1CM APART
	25CM: 6 BANDS SPACED 1CM APART; 4 BANDS SPACED 5CM APART
	28MM: 2 BANDS SPACED 28MM APART

SEGMENT SIZING CATHETER ILLUSTRATIONS

2cm Segment Sizing Catheter

20cm Segment Sizing Catheter

25cm Segment Sizing Catheter



28mm Segment Sizing Catheter

ACCU-VU²

COMPETITOR A

COMPETITOR B

GL/VA/BR/1890 Rev 03 02/2024



Soft, Atraumatic Tip
minimizes trauma and damage to vessels.

Strategic First Marker Band Placement
enables placement of catheter tip right above the renal artery level and the first radiopaque marker at the top of the renal artery, limiting the filling of the SMA with contrast.

Platinum Marker Bands
for enhanced visibility under fluoroscopy.

Unique Heat Embedded Marker Band Process
ensures markers will not separate from shaft and provides a smooth transition.

GREG
With AngioDynamics since 2017

GL/VA/BR/1890 Rev 03 02/2024

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	ARC	4F X 90CM (0.035")	3	0	-	-	-	-	-	-	-	-	**H787117105005**	5
		5F X 90CM (0.038")			-	-	-	-	-	-	**H787117105045**	-	-	5
	BENTSON 1	4F X 65CM (0.038")	7.2	0	-	-	H787107100065	-	5	-	-	-	-	-
		4F X 100CM (0.038")			-	-	H787107100075	-	5	-	-	H787117227135	-	5
		5F X 65CM (0.038")			H787107100085	-	-	-	5	-	-	-	-	-
		5F X 100CM (0.038")			H787107202045	-	-	-	5	H787117202045	-	-	-	5
	BENTSON 2	4F X 100CM (0.035")	8.5	0	-	-	-	H787107083025	5	-	-	-	-	-
		4F X 100CM (0.038")			-	-	-	-	-	-	-	H787117140435	-	5
		5F X 100CM (0.038")			H787107202055	H787107097055	-	-	5	H787117202055	-	-	-	5
	BENTSON 3	4F X 100CM (0.038")	8.5	0	-	-	H787107100095	-	5	-	-	-	-	-
		5F X 100CM (0.038")			-	H787107097065	-	-	5	H787117202065	-	-	-	5
	BERENSTEIN	4F X 40CM (0.035")	3	0	-	-	-	**H787107235035**	5	-	-	-	**H787117235035**	5
		4F X 40CM (0.038")			-	-	-	-	-	-	-	**H787117236025**	-	5
		4F X 65CM (0.035")			-	-	-	**H787107235025**	5	-	-	-	**H787117235025**	5
		4F X 65CM (0.038")			-	-	**H787107140095**	-	5	-	-	**H787117140095**	-	5
		4F X 100CM (0.035")			-	-	-	**H787107235015**	5	-	-	-	-	-
		4F X 100CM (0.038")			-	-	**H787107140165**	-	5	-	-	**H787117140165**	-	5
		4F X 110CM (0.035")			-	-	-	-	-	-	-	H787117236015	**H787117235045**	5
		4F X 130CM (0.035")			-	-	-	-	-	-	-	**H787117221105**	-	5
		4F X 130CM (0.038")			-	-	-	-	-	-	-	**H787117221115**	-	5
		4F X 140CM (0.035")			-	-	-	**H787107227085**	5	-	-	-	-	-
		4F X 150CM (0.035")			-	-	-	-	-	-	-	-	H787117227095	5
		5F X 40CM (0.038")			**H787107221055**	-	-	-	5	-	**H787117235055**	-	-	5
		5F X 65CM (0.038")			**H787107221045**	**H787107227035**	-	-	-	**H787117221045**	**H787117227035**	-	-	5
		5F X 100CM (0.035")			-	**H787107227015**	-	-	5	-	-	-	-	-
		5F X 100CM (0.038")			**H787107221025**	-	-	-	5	-	-	-	-	-
		5F X 110CM (0.038")			-	-	-	-	-	**H787117221035**	**H787117227055**	-	-	5
		5F X 130CM (0.035")			-	-	-	-	-	**H787117221095**	-	-	-	5
		5F X 130CM (0.038")			-	**H787107227075**	-	-	5	-	**H787117227075**	-	-	5
		5F X 140CM (0.035")			-	**H787107227065**	-	-	5	-	-	-	-	-

GL/VA/BR/1890 Rev 03 02/2024

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	BERENSTEIN	5F X 150CM (0.038")	3	0	-	-	-	-	-	-	**H787117227125**	-	-	5
		6F X 65CM (0.038")			H787107317025	-	-	-	5	-	-	-	-	-
		6F X 100CM (0.038")			-	H787107113015	-	-	5	-	-	-	-	-
	COBRA 1	4F X 65CM (0.035")	2	0	-	-	-	**H787107077015**	5	-	-	-	H787117077015	5
		4F X 65CM (0.038")			-	-	**H787107140105**	-	5	-	-	**H787117140105**	-	5
		4F X 90CM (0.035")			-	-	-	-	-	-	-	-	**H787117077045**	5
		4F X 100CM (0.038")			-	-	H787107140175	-	5	-	-	-	-	-
		5F X 65CM (0.038")			H787107197075	**H787107091075**	-	-	5	**H787117197075**	H787117091075	-	-	5
		5F X 90CM (0.038")			H787107197105	**H787107091105**	-	-	5	**H787117197105**	H787117091105	-	-	5
		5F X 65CM (0.038")		2	**H787107318015**	-	-	-	5	-	-	-	-	-
	COBRA 2	4F X 65CM (0.035")	2	0	-	-	-	-	-	-	-	-	**H787117077025**	5
		4F X 65CM (0.038")			-	-	**H787107140115**	-	5	-	-	**H787117140115**	-	5
		4F X 100CM (0.038")			-	-	**H787107140185**	-	5	-	-	**H787117140185**	-	5
		5F X 65CM (0.038")			**H787107197085**	**H787107091085**	-	-	5	**H787117197085**	**H787117091085**	-	-	5
		5F X 90CM (0.038")			**H787107197115**	H787107091115	-	-	5	**H787117197115**	**H787117091115**	-	-	5
		5F X 150CM (0.035")			-	-	-	-	-	-	**H787117092055**	-	-	5
		4F X 65CM (0.035")		2	-	-	-	H787107077085	5	-	-	-	-	-
		5F X 65CM (0.038")			**H787107318025**	-	-	-	5	-	-	-	-	-
	COBRA 3	4F X 65CM (0.038")	2	0	-	-	H787107140125	-	5	-	-	-	-	-
		4F X 100CM (0.038")			-	-	H787107140195	-	5	-	-	-	-	-
		5F X 65CM (0.038")			H787107197095	H787107091095	-	-	5	-	-	-	-	-
		5F X 90CM (0.038")			H787107197125	-	-	-	5	-	-	-	-	-
	COBRITA	5F X 25CM (0.035")	2	0	H787107230745	-	-	-	5	-	-	-	-	-
		5F X 65CM (0.035")			H787107230185	-	-	-	5	-	-	-	-	-
	DRESCHER	4F X 130CM (0.035")	1.5	0	-	-	-	-	-	-	-	-	**H787117071335**	5
	HAWKINS HAIRPIN	4F X 90CM (0.038")	4.5	1	-	-	-	-	-	-	-	**H787117251015**	-	5
		5F X 90CM (0.038")			-	-	-	-	-	H787117251025	-	-	-	5
	HASTINGS U-TURN	5F X 90CM (0.038")	2.5	0	**H787107229915**	-	-	-	5	-	-	-	-	-

GL/VA/BR/1890 Rev 03 02/2024

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	HEAD HUNTER 1	4F X 65CM (0.038")	8	0	-	-	H787107140275	-	5	-	-	-	-	-
		4F X 100CM (0.035")			-	-	-	-	-	-	-	-	**H787117075015**	5
		4F X 100CM (0.038")			-	-	H787107140405	-	5	-	-	-	-	-
		4F X 130CM (0.035")			-	-	-	H787107089065	5	-	-	-	H787117089065	5
		5F X 65CM (0.038")			-	H787107089055	-	-	5	-	-	-	-	-
		5F X 100CM (0.038")			H787107195035	**H787107089035**	-	-	5	H787117195035	H787117089035	-	-	5
		5F X 130CM (0.038")			-	-	-	-	-	**H787117195075**	**H787117092165**	-	-	5
		5F X 140CM (0.038")			H787107195055	-	-	-	5	-	-	-	-	-
	HEAD HUNTER 3	4F X 100CM (0.035")	12	0	-	-	H787107183025	-	5	-	-	H787117183025	-	5
		5F X 100CM (0.038")			H787107195045	-	-	-	5	H787117195045	-	-	-	5
	HOCKEY STICK 1	5F X 65CM (0.035")	3.5	0	**H787107218055**	-	-	-	5	-	-	-	-	-
		4F X 65CM (0.038")	4		-	-	H787107140335	-	5	-	-	**H787117140335**	-	5
		4F X 100CM (0.038")			-	-	H787107140475	-	5	-	-	-	-	-
		5F X 100CM (0.035")			**H787107218015**	-	-	-	5	H787117218015	-	-	-	5
		5F X 100CM (0.038")			-	**H787107224035**	-	-	5	-	-	-	-	-
		4F X 100CM (0.035")	5		-	-	-	-	-	-	-	-	H787117325015	5
	HOCKEY STICK 2	5F X 65CM (0.038")	10	0	-	H787107224055	-	-	5	-	-	-	-	-
		5F X 100CM (0.038")			-	H787107224045	-	-	5	-	-	-	-	-
	HOOK 1	4F X 65CM (0.035")	3.5	0	-	-	H787107187015	-	5	-	-	H787117187015	-	5
		5F X 65CM (0.038")			H787107199035	-	-	-	5	H787117199035	-	-	-	5
	HOOK 2	4F X 65CM (0.035")	4.5	0	-	-	-	H787107079025	5	-	-	H787117187025	-	5
		5F X 65CM (0.035")			-	H787107093025	-	-	5	-	-	-	-	-
	JB 1	4F X 65CM (0.038")	3	0	-	-	H787107140355	-	5	-	-	H787117140355	-	5
		4F X 100CM (0.035")			-	-	-	-	-	-	-	-	H787117340025	5
		4F X 100CM (0.038")			-	-	H787107140495	-	5	-	-	-	-	-
		5F X 65CM (0.038")			-	**H787107341015**	-	-	5	-	**H787117341015**	-	-	5
		5F X 100CM (0.035")			-	H787107341035	-	-	5	-	-	-	-	-
		5F X 100CM (0.038")			-	-	-	-	-	-	**H787117341025**	-	-	5

GL/VA/BR/1890 Rev 03 02/2024

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	JB 1	5F X 130CM (0.035")	3	0	-	-	-	-	-	-	**H787117342095**	-	-	5
		5F X 130CM (0.038")			H787107342085	-	-	-	5	-	-	-	-	-
		5F X 150CM (0.035")			-	-	-	-	-	-	H787117092175	-	-	5
	JB 2	5F X 100CM (0.038")	1	0	-	-	-	-	-	-	H787117092185	-	-	5
		5F X 110CM (0.035")			-	-	-	-	-	**H787117342035**	-	-	-	5
		4F X 65CM (0.038")	3		-	-	H787107140365	-	5	-	-	-	-	-
		4F X 100CM (0.038")			-	-	H787107140505	-	5	-	-	**H787117140505**	-	5
		5F X 100CM (0.035")			**H787107342045**	-	-	-	5	-	-	-	-	-
		5F X 130CM (0.038")	8.5		**H787107342075**	-	-	-	5	-	-	-	-	-
	JB 3	4F X 100CM (0.038")	3	0	-	-	H787107140515	-	5	-	-	-	-	-
		5F X 100CM (0.035")	4		H787107342065	-	-	-	5	-	-	-	-	-
	KUMPE	4F X 40CM (0.035")	3	0	-	-	**H787107343015**	-	5	-	-	-	-	-
		4F X 40CM (0.038")			-	-	**H787107100135**	-	5	-	-	**H787117327045**	-	5
		4F X 65CM (0.038")			-	-	**H787107140145**	-	5	-	-	**H787117140145**	-	5
		4F X 100CM (0.038")			-	-	**H787107140215**	-	5	-	-	**H787117140215**	-	5
		5F X 25CM (0.035")			**H787107327075**	-	-	-	5	-	-	-	-	-
		5F X 40CM (0.035")			-	-	-	-	-	-	**H787117327065**	-	-	5
		5F X 40CM (0.038")			**H787107327025**	-	-	-	5	**H787117327025**	-	-	-	5
		5F X 65CM (0.038")			**H787107327015**	-	-	-	5	**H787117327015**	-	-	-	5
		5F X 100CM (0.038")			**H787107327035**	-	-	-	5	**H787117327035**	-	-	-	5
		5F X 150CM (0.035")			-	-	-	-	-	-	**H787117092195**	-	-	5
	LEVIN	4F X 65CM (0.035")	3	0	-	-	-	H787107328015	5	-	-	-	-	-
		5F X 65CM (0.038")			-	H787107100145	-	-	5	-	-	-	-	-
	MANI	4F X 65CM (0.038")	7.5	0	-	-	H787107140295	-	5	-	-	-	-	-
		4F X 100CM (0.038")			-	-	H787107140445	-	5	-	-	H787117092205	-	5
		5F X 100CM (0.035")			-	-	-	-	-	H787117194015	-	-	-	5
		5F X 100CM (0.038")			H787107194025	H787107088025	-	-	5	-	-	-	-	-
	MATARJEME	5F X 65CM (0.035")	12.5	0	-	H787107353015	-	-	5	-	-	-	-	-

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	MIKAELSSON	4F X 90CM (0.035")	4.5	0	-	-	**H787107337015**	-	5	-	-	-	-	-
		5F X 80CM (0.038")			**H787107321015**	-	-	-	5	**H787117321015**	-	-	-	5
	MPA	4F X 65CM (0.038")	3.2	0	-	-	**H787107140385**	-	5	-	-	**H787117140385**	-	5
		4F X 100CM (0.038")			-	-	**H787107140525**	-	5	-	-	H787117140525	-	5
		4F X 130CM (0.038")			-	-	H787107100155	-	5	-	-	-	-	-
		5F X 65CM (0.038")				**H787107355025**	-	-	5	-	**H787117355025**	-	-	5
		5F X 100CM (0.038")			-	**H787107355045**	-	-	5	-	H787117355045	-	-	5
		5F X 130CM (0.038")			-	H787107100165	-	-	5	-	-	-	-	-
		6F X 90CM (0.035")			H787107357015	-	-	-	5	-	-	-	-	-
		4F X 150CM (0.038")		6	-	-	-	-	-	-	-	H787117092215	-	5
		5F X 65CM (0.035")			-	H787107356015	-	-	5	-	-	-	-	-
		5F X 100CM (0.035")			-	H787107356025	-	-	5	-	**H787117356025**	-	-	5
		5F X 150CM (0.038")			-	-	-	-	-	-	**H787117092225**	-	-	5
	MPB	4F X 65CM (0.038")	3.5	0	-	-	H787107140395	-	5	-	-	-	-	-
		4F X 100CM (0.038")			-	-	H787107140535	-	5	-	-	-	-	-
		5F X 65CM (0.038")			-	H787107349015	-	-	5	-	H787117349015	-	-	5
		5F X 80CM (0.038")			-	H787107100195	-	-	5	-	-	-	-	-
	NAVIGATE 1	5F X 65CM (0.035")	1.9	0	**H787107100735**	-	-	-	5	-	-	-	-	-
	NAVIGATE 2	5F X 65CM (0.035")	2.2	0	**H787107100745**	-	-	-	5	-	-	-	-	-
	NAVIGATE 3	5F X 65CM (0.035")	2.2	0	**H787107100755**	-	-	-	5	-	-	-	-	-
	NAVIGATE 4	5F X 65CM (0.035")	3	0	**H787107100765**	-	-	-	5	-	-	-	-	-
	NAVIGATE 5	5F X 65CM (0.035")	3.6	0	**H787107100775**	-	-	-	5	-	-	-	-	-

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	NEWTON 1	4F X 100CM (0.038")	8	0	-	-	H787107100205	-	5	-	-	-	-	-
		5F X 100CM (0.038")			H787107100215	-	-	-	5	-	-	-	-	-
	NEWTON 2	4F X 100CM (0.038")	8.5	0	-	-	H787107100225	-	5	-	-	-	-	-
		5F X 100CM (0.035")			H787107203025	-	-	-	5	-	-	-	-	-
	NEWTON 3	4F X 100CM (0.038")	8.5	0	-	-	H787107100235	-	5	-	-	-	-	-
		5F X 100CM (0.038")			H787107203065	-	-	-	5	-	-	-	-	-
	NEWTON 5	4F X 100CM (0.035")	6	0	-	-	H787107191045	-	5	-	-	-	-	-
		5F X 100CM (0.035")	8		H787107203075	-	-	-	5	-	-	-	-	-
	OMEGA	5F X 100CM (0.038")	2	0	-	H787107100905	-	-	5	-	**H787117105125**	-	-	5
		5F X 130CM (0.038")			-	H787107100925	-	-	5	-	**H787117105145**	-	-	5
	OSBORNE 1	4F X 100CM (0.035")	5	0	-	-	H787107329025	-	5	-	-	-	-	-
	OSBORNE 2	4F X 100CM (0.035")	5	0	-	-	H787107329015	-	5	-	-	-	-	-
		5F X 100CM (0.035")			H787107344015	-	-	-	5	-	-	-	-	-
	RC 1	4F X 65CM (0.035")	6	0	-	-	-	H787107330015	5	-	-	-	-	-
		5F X 65CM (0.035")			-	H787107331015	-	-	5	-	**H787117331015**	-	-	5
	RC 2	5F X 65CM (0.038")	9	0	-	H787107331025	-	-	5	-	H787117331025	-	-	5
	RENAL	4F X 65CM (0.035")	7.5	0	-	-	H787107188015	-	5	-	-	H787117188015	H787117080015	5
		5F X 65CM (0.038")			H787107200025	H787107094025	-	-	5	**H787117200025**	-	-	-	5
	RIM	5F X 65CM (0.038")	3	0	**H787107334015**	-	-	-	5	**H787117334015**	-	-	-	5
		4F X 65CM (0.035")	5		-	**H787107332015**	-	-	5	-	-	-	**H787117332015**	5
		5F X 25CM (0.035")			-	H787107334035	-	-	5	-	-	-	-	-
		5F X 40CM (0.035")			-	H787107334025	-	-	5	-	-	-	-	-
		5F X 65CM (0.035")			-	**H787107333015**	-	-	5	-	**H787117333015**	-	-	5
		5F X 90CM (0.038")			-	H787107100305	-	-	5	-	-	-	-	-
		5F X 150CM (0.035")			-	-	-	-	-	-	H787117092245	-	-	5

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	SHARP ANGLE	4F X 65CM (0.035")	3	0	-	-	-	H787107100875	5	-	-	-	-	-
		4F X 100CM (0.038")			-	-	H787107100885	-	5	-	-	-	-	-
		4F X 130CM (0.038")			-	-	-	-	-	-	-	H787117105065	-	5
		5F X 65CM (0.038")			-	H787107100825	-	-	5	-	**H787117105075**	-	-	5
		5F X 100CM (0.035")			-	H787107100805	-	-	5	-	-	-	-	-
		5F X 100CM (0.038")			-	-	-	-	-	-	**H787117105095**	-	-	5
		5F X 130CM (0.038")			-	H787107100865	-	-	5	-	**H787117105115**	-	-	5
	SHEPHERD HOOK 1	4F X 65CM (0.035")	3.5	0	-	-	-	H787107078015	5	-	-	-	-	-
		4F X 65CM (0.038")			-	-	-	-	-	-	-	**H787117186035**	-	5
		5F X 65CM (0.038")			**H787107198035**	H787107092035	-	-	5	-	**H787117092035**	-	-	5
	SHEPHERD HOOK 2	4F X 65CM (0.035")	4	0	-	-	H787107186025		5	-	-	-	-	-
		4F X 65CM (0.038")			-	-	-	-	-	-	-	**H787117186045**	-	5
		5F X 65CM (0.038")			H787107198045	H787107092045	-	-	5	-	-	-	-	-
	SIMMONS SIDEWINDER 1	4F X 65CM (0.035")	7.5	0	-	-	-	H787107076015	5	-	-	-	-	-
		4F X 65CM (0.038")			-	-	H787107196095	-	5	-	-	-	-	-
		4F X 100CM (0.035")			-	-	-	-	-	-	-	H787117184025	**H787117076025**	5
		5F X 65CM (0.035")			H787107196015	-	-	-	5	-	-	-	-	-
		5F X 65CM (0.038")			-	**H787107090055**	-	-	5	**H787117196055**	**H787117090055**	-	-	5
		5F X 100CM (0.038")			H787107196065	H787107090065	-	-	5	**H787117196065**	-	-	-	5
		5F X 130CM (0.035")			-	-	-	-	-	-	H787117090145	-	-	5
		5F X 150CM (0.035")			-	-	-	-	-	-	H787117092385	-	-	5
		6F X 65CM (0.035")			-	H787107104015	-	-	5	-	-	-	-	-
		6F X 100CM (0.035")			H787107208025	-	-	-	5	-	-	-	-	-
	SIMMONS SIDEWINDER 1 ST	4F X 65CM (0.038")	2	0	-	-	H787107140305	-	5	-	-	H787117140305	-	5
		4F X 100CM (0.035")			-	-	-	H787107076055	5	-	-	-	-	-
		4F X 100CM (0.038")			-	-	H787107140415	-	5	-	-	-	-	-
		4F X 130CM (0.035")			-	-	-	-	-	-	-	-	H787117090125	5
		5F X 65CM (0.038")			H787107100545	H787107100515	-	-	5	-	-	-	-	-
		5F X 100CM (0.038")			-	**H787107090095**	-	-	5	-	**H787117090095**	-	-	5
		5F x 130CM (0.038")			-	H787107100535	-	-	5	-	-	-	-	-

GL/VA/BR/1890 Rev 03 02/2024

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	SIMMONS SIDEWINDER 2	4F X 65CM (0.038")	11.5	0	-	-	H787107100595	-	5	-	-	-	-	-
		4F X 100CM (0.035")			-	-	-	**H787107076035**	5	-	-	**H787117184035**	-	5
		5F X 65CM (0.038")			H787107100625	-	-	-	5	-	H787117092425	-	-	5
		5F X 100CM (0.038")			**H787107196075**	H787107090075	-	-	5	**H787117196075**	**H787117090075**	-	-	5
		5F X 130CM (0.038")			-	-	-	-	-	-	**H787117090155**	-	-	5
		5F X 150CM (0.035")			-	-	-	-	-	-	H787117092435	-	-	5
	SIMMONS SIDEWINDER 2 ST	4F X 65CM (0.038")	3	0	-	-	H787107140315	-	5	-	-	H787117140315	-	5
		4F X 100CM (0.038")			-	-	H787107140425	-	5	-	-	-	-	-
		4F X 130CM (0.035")			-	-	-	-	-	-	-	-	**H787117090135**	5
		5F X 100CM (0.038")			-	H787107090105	-	-	5	-	H787117090105	-	-	5
	SIMMONS SIDEWINDER 3	4F X 100CM (0.035")	13	0	-	-	H787107184045		5	-	-	-	-	-
		5F X 100CM (0.038")			H787107196085	H787107090085	-	-	5	-	H787117090085	-	-	5
	SOS OMNI 0 MINI (TIGHT CURVE)	4F X 65CM (0.035")	3	0	-	-	H787107115025	-	5	-	-	-	-	-
		4F X 65CM (0.035")	3.5		-	-	-	-	-	-	-	**H787117358015**	-	5
	SOS OMNI 0	4F X 65CM (0.038")	4.5	0	-	-	H787107100335	-	5	-	-	H787117092255	-	5
		4F X 80CM (0.035")			-	-	-	**H787107114045**	5	-	-	-	-	-
		4F X 80CM (0.038")			-	-	**H787107140235**	-	5	-	-	**H787117140235**	-	5
		5F X 65CM (0.038")			H787107100355	H787107100345	-	-	5	-	H787117092265	-	-	5
		5F X 80CM (0.038")			**H787107204085**	**H787107120085**	-	-	5	**H787117204085**	**H787117120085**	-	-	5
	SOS OMNI 1	4F X 65CM (0.038")	5	0	-	-	H787107100365	-	5	-	-	H787117092275	-	5
		4F X 80CM (0.035")			-	-	-	**H787107114015**	5	-	-	-	H787117114015	5
		4F X 80CM (0.038")			-	-	**H787107140245**	-	5	-	-	**H787117140245**	-	5
		5F X 65CM (0.038")			**H787107100385**	H787107100375	-	-	5	-	H787117092285	-	-	5
		5F X 80CM (0.038")			**H787107204015**	**H787107120055**	-	-	5	**H787117204015**	**H787117120055**	-	-	5
		5F X 80CM (0.035")		2	H787107320025	-	-	-	5	**H787117320025**	-	-	-	5

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	SOS OMNI 2	4F X 65CM (0.035")	4.5	0	-	-	-	H787107100395	5	-	-	-	-	-
		4F X 65CM (0.038")			-	-	H787107100405	-	5	-	-	**H787117140545**	-	5
		4F X 80CM (0.035")			-	-	-	**H787107114025**	5	-	-	-	H787117114025	5
		4F X 80CM (0.038")			-	-	**H787107140255**	-	5	-	-	**H787117140255**	-	5
		5F X 65CM (0.038")			-	**H787107100415**	-	-	5	-	**H787117092295**	-	-	5
		5F X 80CM (0.038")			**H787107204055**	**H787107120065**	-	-	5	**H787117204055**	**H787117120065**	-	-	5
		5F X 80CM (0.035")		2	**H787107320015**	-	-	-	5	**H787117320015**	-	-	-	5
		4F X 80CM (0.035")		4	-	-	-	H787107114055	5	-	-	-	**H787117114055**	5
	SOS OMNI 3	4F X 65CM (0.038")	5	0	-	-	H787107100425	-	5	-	-	-	-	-
		4F X 80CM (0.035")			-	-	-	**H787107114035**	5	-	-	-	-	-
		4F X 80CM (0.038")			-	-	**H787107140265**	-	5	-	-	H787117140265	-	5
		5F X 65CM (0.038")			-	H787107100435	-	-	5	-	-	-	-	-
		5F X 80CM (0.038")			**H787107204065**	**H787107120075**	-	-	5	**H787117204065**	**H787117120075**	-	-	5
	STRAIGHT ART	4F X 65CM (0.035")	1	0	-	-	**H787107314015**	-	5	-	-	-	-	-
		4F X 150CM (0.038")			-	-	-	-	-	-	-	**H787117315075**	-	5
		5F X 25CM (0.035")			**H787107315095**	-	-	-	5	-	-	-	-	-
		5F X 40CM (0.035")			H787107315105	-	-	-	5	-	-	-	-	-
		5F X 65CM (0.035")			H787107315025	-	-	-	5	-	-	-	-	-
		5F X 65CM (0.038")			-	-	-	-	-	**H787117092345**	H787117092375	-	-	5
		5F X 110CM (0.035")			-	H787107100485	-	-	5	-	-	-	-	-
		4F X 40CM (0.038")	1.5	0	-	-	H787107100475	-	5	-	-	-	-	-
		4F X 65CM (0.035")			-	-	H787107314025	-	5	-	-	-	-	-
		4F X 65CM (0.038")			-	-	-	-	-	-	-	**H787117140155**	-	5
		4F X 100CM (0.038")			-	-	H787107140225	-	5	-	-	**H787117140225**	-	5
		4F X 130CM (0.035")			-	-	-	H787107315035	5	-	-	-	**H787117315035**	5
		5F X 130CM (0.038")			-	-	-	-	-	H787117315055	**H787117315065**	-	-	5
		5F X 90CM (0.038")	2		H787107315015	-	-	-	5	**H787117315015**	-	-	-	5
		5F X 150CM (0.038")			-	-	-	-	-	-	**H787117092365**	-	-	5
		6F X 110CM (0.038")	10		-	-	H787107316015	-	5	-	-	-	-	-

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	VERTEBRAL	4F X 65CM (0.038")	5.5	0	-	-	H787107100665	-	5	-	-	H787117092465	-	5
		4F X 130CM (0.035")			-	-	-	H787107100655	5	-	-	-	-	-
		4F X 150CM (0.038")			-	-	-	-	-	-	-	H787117092455	-	5
		5F X 65CM (0.038")			H787107100705	-	-	-	5	-	H787117092475	-	-	5
		5F X 130CM (0.038")			-	H787107100685	-	-	5	-	-	-	-	-
		5F X 150CM (0.038")			-	-	-	-	-	-	H787117092485	-	-	5
		4F X 100CM (0.038")		2	-	-	H787107140455	-	5	-	-	H787117140455	-	5
		4F X 130CM (0.035")			-	-	-	-	-	-	-	-	H787117087045	5
		5F X 100CM (0.038")			H787107193025	H787107087025	-	-	5	H787117193025	H787117087025	-	-	5
		5F X 130CM (0.035")			-	-	-	-	-	H787117193035	H787117087035	-	-	5
		6F X 130CM (0.038")		8	H787107100725	-	-	-	5	-	-	-	-	-
	WEINBERG	5F X 100CM (0.038")	4	0	-	H787107335015	-	-	5	-	-	-	-	-
	MINI OMNI FLUSH	4F X 65CM (0.035")	3.4	6	-	-	H787107323045	0	10	-		-	-	-
	OMNI FLUSH	4F X 65CM (0.035")	3.4		-	-	**H787107323015**	-	10	-		-	-	-
		4F X 65CM (0.038")			-	-	**H787107140015**	-	10	-		**H787117140015**	-	10
		4F X 90CM (0.035")			-	-	**H787107323025**		10	-		-	-	-
		4F X 90CM (0.038")			-	-	**H787107140045**	-	10	-		-	-	-
		4F X 110CM (0.035")			-	-	H787107323035	-	10	-		H787117323035	-	10
		5F X 65CM (0.035")			**H787107322015**	-	-	-	10	-		**H787117322015**	-	10
		5F X 65CM (0.038")			**H787107322035**	-	-	-	10	**H787117322035**		-	-	10
		5F X 90CM (0.035")			**H787107322025**	-	-	-	10	**H787117322025**		-		10
		5F X 90CM (0.038")			**H787107322045**	-	-	-	10	-		-		-
		5F X 100CM (0.038")			**H787107322055**	-	-	-	10	**H787117322055**		-	-	10
	RACKET	4F X 65CM (0.035")	4.7	10	-	-	H787107081015	-	10	-	-	-	-	-
		4F X 90CM (0.035")			-	-	H787107081025	-	10	-	-	-	-	-
		5F x 65CM (0.038")			H787107095045	-	-	-	10	-	-	-	-	-
		5F X 100CM (0.038")			H787107095065	-	-	-	10	-	-	-	-	-

CATHETER DESCRIPTION					SOFT-VU ANGIOGRAPHIC CATHETER[3,4]					MARINER HYDROPHILIC CATHETER[3,4]				
					TAPERED TIP		NON-TAPERED TIP			TAPERED TIP		NON-TAPERED TIP		
TIP IMAGE	NAME	CATHETER FRENCH, LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SOFT TIP LENGTH (CM) +/- 1MM	# OF SIDE HOLES	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY	NON-BRAIDED	BRAIDED	NON-BRAIDED	BRAIDED	BOX QTY
	90° PIGTAIL	6F x 100CM (0.038")	7.5	10	-	**H787507226315**	-	-	5	-	-	-	-	-
	PIGTAIL	4F X 65CM (0.035")	4.6	10	-	-	-	-	-	-	-	H787117071015	-	10
		4F X 65CM (0.038")			-	-	**H787107140025**	-	10	-	-	-	-	-
		4F X 90CM (0.038")			-	-	H787107140055	-	10	-	-	-	-	-
		4F X 100CM (0.035")			-	-	**H787107071035**	-	10	-		-	-	-
		4F x 110CM (0.038")			-	-	**H787107140085**	-	10	-	-	**H787117140085**	-	10
		5F X 65CM (0.035")	5		**H787107085015**	-	-	-	10	-	-	-	-	-
		5F X 65CM (0.038")			**H787107085045**	-	-	-	10	**H787117085045**	-	-	-	10
		5F X 90CM (0.035")			**H787107085025**	-	-	-	10	-	-	-	-	-
		5F X 90CM (0.038")			**H787107085055**	-	-	-	10	-	-	-	-	-
		5F X 110CM (0.035")			**H787107085035**	-	-	-	10	-	-	-	-	-
		5F X 110CM (0.038")			**H787107085065**	-	-	-	10	**H787117085065**	-	-	-	10
		5F X 130CM (0.038")			H787107085075	-	-	-	5	-	-	-	-	-
		5F X 150CM (0.035")			-	-	-	-	-	**H787117092235**	-	-	-	5
		6F X 65CM (0.038")			H787107100275	-	-	-	10	-	-	-	-	-
		6F x 110CM (0.038")			H787107099065	-	-	-	10	-	-	-	-	-
	STRAIGHT FLUSH	4F X 65CM (0.035")	1	6	-	-	**H787107072015**	-	10	-	-	-	-	-
		4F X 65CM (0.038")			-	-	-	-	-	-	-	**H787117140035**	-	10
		4F X 90CM (0.035")			-	-	H787107072025	-	10	-	-	-	-	-
		4F X 90CM (0.038")			-	-	-	-	-	-	-	**H787117140065**	-	10
		4F X 120CM (0.035")			-	-	H787107100445	-	5	-	-	-	-	-
		5F X 65CM (0.038")	1.5		**H787107086035**	-	-	-	10	**H787117086035**	-	-	-	10
		5F X 90CM (0.038")			H787107086045	-	-	-	10	**H787117086045**	-	-	-	10
		5F X 120CM (0.035")			**H787107100455**	-	-	-	5	-	-	-	-	-

GL/VA/BR/1890 Rev 03 02/2024

CATHETER DESCRIPTION							ACCU-VU SIZING CATHETER[3,4]					
							4F		5F			
TIP IMAGE	NAME	# OF SIDE HOLES	CATHETER LENGTH AND GUIDEWIRE ACCEPT (O.D.)	SEGMENT SIZING CATHETER	QTY OF MARKER BANDS	MARKER BAND SPACING INCREMENTS	NON-BRAIDED	MAXIMUM FLOW RATE (mL/sec)	NON-BRAIDED	MAXIMUM FLOW RATE (mL/sec)	PRESSURE LIMIT (PSI/kPa)	BOX QTY
	OMNI FLUSH	6	70CM (0.035")	2CM	2	2CM	H787137090055	20	H787137090015	26	1050/7239	10
			70CM (0.038")				-	-	H787137090025	26	1050/7239	10
			100CM (0.035")				H787137090065	16	H787137090035	22	1050/7239	10
			100CM (0.038")				-	-	H787137090045	22	1050/7239	10
			70CM (0.035")	20CM	21	1CM	H787137097045	20	H787137097015	26	1050/7239	5
			70CM (0.038")				-	-	H787137097025	26	1050/7239	5
			100CM (0.035")				H787137097055	16	H787137097035	22	1050/7239	5
			70CM (0.035")	25CM	10	6 / 1CM 4 / 5CM	H787137094055	20	H787137094015	26	1050/7239	5
			70CM (0.038")				-	-	H787137094025	26	1050/7239	5
			100CM (0.035")				-	-	H787137094035	22	1050/7239	5
			100CM (0.038")				-	-	H787137094045	22	1050/7239	5
	PIGTAIL	10	70CM (0.035")	2CM	2	2CM	H787137091055	20	H787137091015	26	1050/7239	10
			70CM (0.038")				-	-	H787137091025	26	1050/7239	10
			100CM (0.035")				H787137091065	16	H787137091035	22	1050/7239	10
			100CM (0.038")				-	-	H787137091045	22	1050/7239	10
			70CM (0.035")	20CM	21	1CM	H787137098045	26	H787137098015	26	1050/7239	5
			70CM (0.038")				-	-	H787137098025	26	1050/7239	5
			100CM (0.035")				H787137098055	16	H787137098035	22	1050/7239	5
			70CM (0.035")	25CM	10	6 / 1CM 4 / 5CM	-	-	H787137095015	26	1050/7239	5
			70CM (0.038")				-	-	H787137095025	26	1050/7239	5
			100CM (0.035")				H787137095065	16	H787137095035	22	1050/7239	5
			100CM (0.038")				-	-	H787137095045	22	1050/7239	5
			70CM (0.035")	28MM	2	28MM	H787137093035	20	H787137093015	26	1050/7239	10
			90CM (0.035")				H787137093045	18	H787137093025	24	1050/7239	10
	STRAIGHT FLUSH	6	70CM (0.035")	2CM	2	2CM	H787137092035	20	H787137092015	26	1050/7239	10
			100CM (0.035")				H787137092045	16	H787137092025	22	1050/7239	10
			70CM (0.035")	20CM	21	1CM	H787137099025	20	H787137099015	26	1050/7239	5
			100CM (0.035")				-	-	H787137099205	22	1050/7239	5
			70CM (0.035")	25CM	10	6 / 1CM 4 / 5CM	-	-	H787137096015	26	1050/7239	5
			100CM (0.035")				H787137096045	16	H787137096025	22	1050/7239	5

GL/VA/BR/1890 Rev 03 02/2024

EXTENSIVE PORTFOLIO.
SPECIALIZED FOCUS.

angiodynamics

FOOTNOTES

1. Endovascular Today: Tips and Tricks of RAS for High-Risk Patients By Thomas A. Sos, MD and David W. Trost, MD
2. Data on File.
3. Not all products may be available for sale in your market. Please consult with your local AngioDynamics Partner for product availability and additional product information.
4. Non-bolded items are low volume configurations which have a minimum order quantity and may be built to order, requiring a greater lead time.

INDICATIONS FOR USE

AngioDynamics Angiographic Catheters are for use where angiographic diagnosis is indicated.

Contraindications: None known.

Refer to Instructions for Use and/or User Manual provided with the product for complete Instructions, Warnings, Precautions, Potential Adverse Effects and Contraindications prior to use of the product.

CAUTION

Federal law (USA) restricts this device to sale by or on the order of a physician.

USA > 14 Plaza Drive, Latham, NY 12110 > tel: 800-772-6446 or 518-798-1215 > fax: 518-798-1360
International > Haaksbergweg 75 (Margriettoren), 1101 BR, Amsterdam 2-0, Netherlands
tel: +31 (0)20 753 2949 > fax: +31 (0)20 753 2939

www.angiodynamics.com

angiodynamics

AngioDynamics, the AngioDynamics logo, Duration, Soft-Vu, Mariner, Accu-Vu, Omni, and SOS Omni are trademarks and/or registered trademarks of AngioDynamics Inc., an affiliate or subsidiary. All other trademarks are property of their respective owners. ©2024 AngioDynamics, Inc. GL/VA/BR/1890 Rev 03 02/2024